

Crain & Associates Of Southern California

2007 Sawtelle Boulevard, Suite 4 Los Angeles, California 90025 Telephone (310) 473-6508 Facsimile (310) 444-9771

FAX TRANSMITTAL

November 19, 1996

TO:

Tom Overturf

FAX#:

(310) 627-3109

FROM:

George Rhyner

Number of Pages (including this one):

1

Tom.

If the east edge are adequate and intersection will require causardie Avenue intersection will require causardie Avenue intersection will require causardie EIR, however, I have the following comments:

We may not wish to call out an Auto Dealer or show this small of a size of retain center building area on any plans submitted to the City. It would not be the "worst case" required by CEQA and could also be used to produce some overly restrictive mitigation measures/conditions of approval;

The arcel will need to be shown as "not a part" and the roadways of the conditions of approval;

The arcel will need to be shown as "not a part" and the roadways of the conditions of approval; I have briefly reviewed the updated Conceptual Land-Use plan. I think the roadway locations shown along the east edge are adequate for the plans at this stage, although the "B" Street/Private Drive/Normandie Avenue intersection will require careful detailed design. Prior to PBR revising drawings for the EIR, however, I have the following comments:

If you any have questions, please feel free to give me a call.

George

MENLO PARK

LOS ANGELES

SEATTLE

